

In re of: 10/507,121 PEDERSEN9

**Rec'd PCT/PTO 1 / MAR 2005**

**IN THE SEQUENCE LISTING**

Please enter the attached Sequence Listing, numbered as  
pages 1-20.

# SEQUENCE LISTING

<110> Nuevolution A/S  
 <120> AN IMPROVED METHOD FOR SYNTHESISING TEMPLATED MOLECULES  
 <130> TM3-PCT  
 <140> PCT/DK03/00172  
 <141> 2003-03-14  
 <150> DK PA 2002 0415  
 <151> 2002-03-15  
 <150> DK PA 2002 00952  
 <151> 2002-06-20  
 <150> US 60/389,885  
 <151> 2002-06-20  
 <150> DK PA 2002 01347  
 <151> 2002-09-12  
 <150> US 60/409,968  
 <151> 2002-09-12  
 <150> US 60/364,056  
 <151> 2002-03-15  
 <150> PCT/DK 02/00419  
 <151> 2002-06-20  
 <150> US 10/175,539  
 <151> 2002-06-20  
 <160> 61  
 <170> PatentIn version 3.2  
 <210> 1  
 <211> 15  
 <212> DNA  
 <213> artificial sequence  
 <220>  
 <223> Building block oligo used in examples 1 to 11  
 <220>  
 <221> misc\_feature  
 <222> (15)..(15)  
 <223> Carboxy-modifier C2 dT (obtained from Glen Research, catalogue #  
 10-1035-90)  
 <400> 1  
 gctactcgta cgagn

<210> 2  
 <211> 15  
 <212> DNA  
 <213> artificial sequence  
  
 <220>  
 <223> Building block oligo used in examples 1 to 11  
  
 <220>  
 <221> misc\_feature  
 <222> (15)..(15)  
 <223> Amino-modifier C2 dT (obtained from Glen Research catalogue #  
 10-1037-90)  
  
 <400> 2  
 gctactcgta cgagn 15  
  
 <210> 3  
 <211> 15  
 <212> DNA  
 <213> artificial sequence  
  
 <220>  
 <223> Building block oligo used in examples 1 to 11  
  
 <220>  
 <221> misc\_feature  
 <222> (15)..(15)  
 <223> Amino modifier C6 dT (obtained from Glen Research, catalogue #  
 10-1039-90)  
  
 <400> 3  
 gctactcgta cgagn 15  
  
 <210> 4  
 <211> 15  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Building block oligo used in examples 1 to 11  
  
 <220>  
 <221> misc\_feature  
 <222> (1)..(1)  
 <223> Carboxy-modifier C2 dT (obtained from Glen Research, catalogue #  
 10-1035-90)  
  
 <400> 4  
 ncacttgcag acagc 15  
  
 <210> 5

<211> 15  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Building block oligo used in examples 1 to 11  
  
 <220>  
 <221> misc\_feature  
 <222> (1)..(1)  
 <223> Amino-modifier C2 dT (obtained from Glen Research, catalogue #  
 10-1037-90)  
  
 <400> 5  
 ncacttgcag acagc 15  
  
 <210> 6  
 <211> 15  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Building block oligo used in examples 1 to 11  
  
 <220>  
 <221> misc\_feature  
 <222> (1)..(1)  
 <223> Amino modifier C6 dT (obtained from Glen Research, catalogue #  
 10-1039-90)  
  
 <400> 6  
 ncacttgcag acagc 15  
  
 <210> 7  
 <211> 14  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Building block oligo used in examples 1 to 11  
  
 <400> 7  
 gctactcgta cgag 14  
  
 <210> 8  
 <211> 15  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Building block oligo used in examples 1 to 11

<220>  
 <221> misc\_feature  
 <222> (15)..(15)  
 <223> Carboxy-modifier C2 dT (obtained from Glen Research, catalogue #  
 10-1035-90)

<400> 8  
 gctactggca tcggn 15

<210> 9  
 <211> 15  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> Building block oligo used in examples 1 to 11

<220>  
 <221> misc\_feature  
 <222> (15)..(15)  
 <223> Amino-modifier C2 dT (obtained from Glen Research, catalogue #  
 10-1037-90)

<400> 9  
 gctactggca tcggn 15

<210> 10  
 <211> 15  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> Building block oligo used in examples 1 to 11

<220>  
 <221> misc\_feature  
 <222> (1)..(1)  
 <223> Amino-modifier C2 dT (obtained from Glen Research, catalogue #  
 10-1037-90)

<400> 10  
 ncacttgcag acagc 15

<210> 11  
 <211> 56  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> Building block oligo used in examples 1 to 11

<220>

<221> misc\_feature  
 <222> (56)..(56)  
 <223> Carboxy-modifier C2 dT (obtained from Glen Research, catalogue # 10-1035-90)

<400> 11  
 cgacctctgg attgcatcgg tcatggctga ctgtccgctg aatgtgtcca gttacn 56

<210> 12  
 <211> 56  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> Building block oligo used in examples 1 to 11

<220>  
 <221> Artificial sequence  
 <222> (1)..(1)  
 <223> Amino modifier C6 dT (obtained from Glen Research, catalogue # 10-1039-90)

<220>  
 <221> misc\_feature  
 <222> (1)..(1)  
 <223> n is a, c, g, or t

<400> 12  
 ngtaactgga ctgtaagctg cctgtcagtc ggtactgacc tgtcgagcat ccagct 56

<210> 13  
 <211> 56  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> misc\_feature

<220>  
 <221> misc\_feature  
 <222> (1)..(1)  
 <223> Amino modifier C6 dT (obtained from Glen Research, catalogue # 10-1039-90)

<400> 13  
 ngtaacacct gtgtaagctg cctgtcagtc ggtactgacc tgtcgagcat ccagct 56

<210> 14  
 <211> 56  
 <212> DNA  
 <213> Artificial sequence

<220>

<223> Building block oligo used in examples 1 to 11

<220>  
 <221> misc\_feature  
 <222> (1)..(1)  
 <223> Amino modifier C6 dT (obtained from Glen Research, catalogue # 10-1039-90)

<400> 14  
 ncattgacct gtgtaagctg cctgtcagtc ggtactgacc tgtcgagcat ccagct 56

<210> 15  
 <211> 56  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> Building block oligo used in examples 1 to 11

<220>  
 <221> misc\_feature  
 <222> (3)..(3)  
 <223> Amino modifier C6 dT (obtained from Glen Research, catalogue # 10-1039-90)

<400> 15  
 agnaacacct gtgtaagctg cctgtcagtc ggtactgacc tgtcgagcat ccagct 56

<210> 16  
 <211> 58  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> Building block oligo used in examples 1 to 11

<220>  
 <221> misc\_feature  
 <222> (1)..(1)  
 <223> Amino modifier C6 dT (obtained from Glen Research, catalogue # 10-1039-90)

<400> 16  
 nttgtaactg gactgtaagc tgcctgtcag tcggtactga cctgtcgagc atccagct 58

<210> 17  
 <211> 58  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> Building block oligo used in examples 1 to 11

<220>  
 <221> misc\_feature  
 <222> (58)..(58)  
 <223> Amino-modifier C2 dT (obtained from Glen Research, catalogue # 10-1035-90)

<400> 17  
 cgacctctgg attgcatcgg tcatggctga ctgtccgctg aatgtgtcca gttacttn 58

<210> 18  
 <211> 30  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> Template used in examples 1 to 11

<400> 18  
 gctgtctgca agtgaaccga tgccagtagc 30

<210> 19  
 <211> 40  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> Template used in examples 1 to 11

<400> 19  
 agctggatgc tcgacaggtc ccgatgcaat ccagaggtcg 40

<210> 20  
 <211> 51  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> Template used in examples 1 to 11

<220>  
 <221> misc\_feature  
 <222> (51)..(51)  
 <223> Biotin phosphoramidite (obtained from Glen Research, Catalogue # 10-1953-95)

<400> 20  
 gctgtctgca agtgaactcg tacgagtagc gacagtcgac atcggtcacg n 51

<210> 21  
 <211> 52  
 <212> DNA



<213> Artificial sequence  
 <220>  
 <223> Template used in examples 1 to 11  
  
 <220>  
 <221> misc\_feature  
 <222> (51)..(51)  
 <223> Biotin phosphoramidite (obtained from Glen Research, Catalogue # 10-1953-95)  
  
 <220>  
 <221> misc\_feature  
 <222> (52)..(52)  
 <223> n is a, c, g, or t  
  
 <400> 21  
 gctgtctgca agtgacactc gtacgagtag cgacagtcga catcggtcac gn 52  
  
 <210> 22  
 <211> 53  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Template used in examples 1 to 11  
  
 <220>  
 <221> misc\_feature  
 <222> (53)..(53)  
 <223> Biotin-amedit  
  
 <400> 22  
 gctgtctgca agtgacgact cgtacgagta gcgacagtcg acatcggtca.cgn 53  
  
 <210> 23  
 <211> 81  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Template used in examples 1 to 11  
  
 <220>  
 <221> misc\_feature  
 <222> (81)..(81)  
 <223> Biotin phosphoramidite (obtained from Glen Research, Catalogue # 10-1953-95)  
  
 <400> 23  
 gctgtctgca agtgacgact gatccagtag catgcgtacc atcgaactcg tacgagtagc 60  
 gacagtcgac atcggtcacg n 81

<210> 24  
 <211> 47  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Trisamine scaffold oligo building block used in example 12  
  
 <220>  
 <221> misc\_feature  
 <222> (46)..(46)  
 <223> Carboxy-modifier C2 dT (obtained from Glen Research, catalogue # 10-1035-90)  
  
 <400> 24  
 gacctgtcga gcatccagct tcatgggaat tcctcgcca caatgnt 47  
  
 <210> 25  
 <211> 52  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> building block oligo used in example 13  
  
 <220>  
 <221> misc\_feature  
 <222> (1)..(1)  
 <223> Thiol modifier (obtained from Glen Research, catalogue # 10-1053-95)  
  
 <400> 25  
 ncattgacct gtctgcbbtg tcagtcggta ctgtggtaac gcggatcgac ct 52  
  
 <210> 26  
 <211> 62  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Oligo building block used in example 13  
  
 <220>  
 <221> misc\_feature  
 <222> (1)..(1)  
 <223> Thiol modifier (obtained from Glen Research, catalogue # 10-1053-95)  
  
 <400> 26  
 ncattgacct gaaccatgbt aagctgctg tcagtcggta ctacgactac gttcaggcaa 60

ga

62

<210> 27  
<211> 81  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Template oligo used in example 14

<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> Biotin phosphoramidite (obtained from Glen Research, Catalogue #  
10-1953-95)

<400> 27  
ntcttgctg aacgtagtcg taggtcgatc cgcgttacca gagctggatg ctcgacaggt 60  
cccgatgcaa tccagaggtc g 81

<210> 28  
<211> 31  
<212> DNA  
<213> Artificial sequence

<220>  
<223> DNA oligos for building blocks used in examples 15 to 20

<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> Amino modifier C6 dT (obtained from Glen Research, catalogue #  
10-1039-90)

<400> 28  
ngtaacacct ggacctgtcg agcatccagc t 31

<210> 29  
<211> 23  
<212> DNA  
<213> Artificial sequence

<220>  
<223> DNA oligos for building blocks used in examples 15 to 20

<220>  
<221> misc\_feature  
<222> (23)..(23)  
<223> Carboxy-modifier C2 dT (obtained from Glen Research, catalogue #  
10-1035-90)

<400> 29  
tctggattgc atcgggagtt acn 23

<210> 30  
<211> 56  
<212> DNA  
<213> Artificial sequence

<220>  
<223> DNA oligos for building blocks used in examples 15 to 20

<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> Amino modifier C6 dT (obtained from Glen Research, catalogue #  
10-1039-90)

<400> 30  
ngtaactcct gtgtaagctg cctgtcagtc ggtactgacc tgtcgagcat ccagct 56

<210> 31  
<211> 56  
<212> DNA  
<213> Artificial sequence

<220>  
<223> DNA oligos for building blocks used in examples 15 to 20

<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> Amino modifier C6 dT (obtained from Glen Research, catalogue #  
10-1039-90)

<400> 31  
ngtaactgct gtgtaagctg cctgtcagtc ggtactgacc tgtcgagcat ccagct 56

<210> 32  
<211> 56  
<212> DNA  
<213> Artificial sequence

<220>  
<223> DNA oligos for building blocks used in examples 15 to 20

<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> Amino modifier C6 dT (obtained from Glen Research, catalogue #  
10-1039-90)

<400> 32

ngtaactggt gtgtaagctg cctgtcagtc ggtactgacc tgtcgagcat ccagct 56

<210> 33  
<211> 76  
<212> DNA  
<213> Artificial sequence

<220>  
<223> DNA oligos for building blocks used in examples 15 to 20

<220>  
<221> misc\_feature  
<222> (76)..(76)  
<223> Carboxy-modifier C2 dT (obtained from Glen Research, catalogue # 10-1035-90)

<400> 33  
cgacctctgg attgcatcgg tcattttttt tttttttttt ttttggctga ctgtccgtcg 60  
aatgtgtcca gttacn 76

<210> 34  
<211> 21  
<212> DNA  
<213> Artificial sequence

<220>  
<223> DNA oligos for building blocks used in examples 15 to 20

<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> Amino modifier C6 dT (obtained from Glen Research, catalogue # 10-1039-90)

<400> 34  
ngacctgtcg agcatccagc t 21

<210> 35  
<211> 21  
<212> DNA  
<213> Artificial sequence

<220>  
<223> DNA oligos for building blocks used in examples 15 to 20

<220>  
<221> misc\_feature  
<222> (21)..(21)  
<223> Carboxy-modifier C2 dT (obtained from Glen Research, catalogue # 10-1035-90)

<400> 35  
tctggattgc atcgggttac n 21

<210> 36  
<211> 21  
<212> DNA  
<213> Artificial sequence

<220>  
<223> DNA oligos for building blocks used in examples 15 to 20

<220>  
<221> misc\_feature  
<222> (21)..(21)  
<223> Carboxy-modifier C2 dT (obtained from Glen Research, catalogue #  
10-1035-90)

<400> 36  
tctggattgc atcgggttttt n 21

<210> 37  
<211> 31  
<212> DNA  
<213> Artificial sequence

<220>  
<223> DNA oligos for building blocks used in examples 15 to 20

<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> Amino-modifier 5 (obtained from Glen Research, catalogue #  
10-1905-90)

<400> 37  
ngtaacacct ggacctgtcg agcatccagc t 31

<210> 38  
<211> 31  
<212> DNA  
<213> Artificial sequence

<220>  
<223> DNA oligos for building blocks used in examples 15 to 20

<220>  
<221> misc\_feature  
<222> (31)..(31)  
<223> Carboxy-modifier C2 dT (obtained from Glen Research, catalogue #  
10-1035-90)

<400> 38

cgacctctgg attgcatcgg gcacggttac n 31

<210> 39  
<211> 31  
<212> DNA  
<213> Artificial sequence

<220>  
<223> DNA oligos for building blocks used in examples 15 to 20

<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> Amino modifier C6 dT (obtained from Glen Research, catalogue #  
10-1039-90)

<400> 39  
nctggacagc tcgtaggtcg tttttttttt t 31

<210> 40  
<211> 21  
<212> DNA  
<213> Artificial sequence

<220>  
<223> DNA oligos for building blocks used in examples 15 to 20

<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> Amino modifier C6 dT (obtained from Glen Research, catalogue #  
10-1039-90)

<400> 40  
ngacctgtcg agcatccagc t 21

<210> 41  
<211> 21  
<212> DNA  
<213> Artificial sequence

<220>  
<223> DNA oligos for building blocks used in examples 15 to 20

<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> Carboxy-modifier C2 dT (obtained from Glen Research, catalogue #  
10-1035-90)

<400> 41  
ngacctgtcg agcatccagc t 21

<210> 42  
 <211> 27  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> DNA oligos for building blocks used in examples 15 to 20  
  
 <220>  
 <221> misc\_feature  
 <222> (27)..(27)  
 <223> Amino modifier C6 dT (obtained from Glen Research, catalogue # 10-1039-90)  
  
 <400> 42  
 cgacctctgg attgcatcgg tggtacn 27  
  
 <210> 43  
 <211> 26  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> DNA oligos for building blocks used in examples 15 to 20  
  
 <220>  
 <221> misc\_feature  
 <222> (26)..(26)  
 <223> Amino modifier C6 dT (obtained from Glen Research, catalogue # 10-1039-90)  
  
 <400> 43  
 acgactacgt tcaggcaaga gttacn 26  
  
 <210> 44  
 <211> 31  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> DNA oligos for building blocks used in examples 15 to 20  
  
 <220>  
 <221> misc\_feature  
 <222> (1)..(1)  
 <223> Carboxy-modifier C2 dT (obtained from Glen Research, catalogue # 10-1035-90)  
  
 <400> 44  
 nctggacagc tcgtaggtcg tttttttttt t 31



<210> 45  
 <211> 21  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> DNA oligos for building blocks used in examples 15 to 20  
  
 <220>  
 <221> misc\_feature  
 <222> (21)..(21)  
 <223> Amino modifier C6 dT (obtained from Glen Research, catalogue # 10-1039-90)  
  
 <400> 45  
 cgacctctgg attgcatcgg n 21  
  
 <210> 46  
 <211> 25  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> DNA oligos for building blocks used in examples 15 to 20  
  
 <220>  
 <221> misc\_feature  
 <222> (25)..(25)  
 <223> Amino modifier C6 dT (obtained from Glen Research, catalogue # 10-1039-90)  
  
 <400> 46  
 cgacctctgg attgcatcgg ttacn 25  
  
 <210> 47  
 <211> 26  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> DNA oligos for building blocks used in examples 15 to 20  
  
 <220>  
 <221> misc\_feature  
 <222> (1)..(1)  
 <223> Amino-modifier 5 (obtained from Glen Research, catalogue # 10-1905-90)  
  
 <400> 47  
 ngtaacgacc tgtcgagcat ccagct 26

<210> 48  
 <211> 28  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> DNA oligos for building blocks used in examples 15 to 20  
  
 <220>  
 <221> misc\_feature  
 <222> (1)..(1)  
 <223> Amino-modifier 5 (obtained from Glen Research, catalogue #  
 10-1905-90)  
  
 <400> 48  
 ngtaactgga cctgtcgagc atccagct 28  
  
 <210> 49  
 <211> 26  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> DNA oligos for building blocks used in examples 15 to 20  
  
 <220>  
 <221> misc\_feature  
 <222> (26)..(26)  
 <223> Carboxy-modifier C2 dT (obtained from Glen Research, catalogue #  
 10-1035-90)  
  
 <400> 49  
 acgactacgt tcaggcaaga gttacn 26  
  
 <210> 50  
 <211> 28  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> DNA oligos for building blocks used in examples 15 to 20  
  
 <220>  
 <221> misc\_feature  
 <222> (28)..(28)  
 <223> Carboxy-modifier C2 dT (obtained from Glen Research, catalogue #  
 10-1035-90)  
  
 <400> 50  
 acgactacgt tcaggcaaga gcgttacn 28  
  
 <210> 51

<211> 31  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> DNA oligos for building blocks used in examples 15 to 20  
  
 <220>  
 <221> misc\_feature  
 <222> (31)..(31)  
 <223> Carboxy-modifier C2 dT (obtained from Glen Research, catalogue # 10-1035-90)  
  
 <400> 51  
 acgactacgt tcaggcaaga gcacggttac n 31  
  
 <210> 52  
 <211> 28  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> DNA oligos for building blocks used in examples 15 to 20  
  
 <220>  
 <221> misc\_feature  
 <222> (28)..(28)  
 <223> Carboxy-modifier C2 dT (obtained from Glen Research, catalogue # 10-1035-90)  
  
 <400> 52  
 cgacctctgg attgcatcgg gcgttacn 28  
  
 <210> 53  
 <211> 31  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Oligo building block used in examples 15 to 20  
  
 <220>  
 <221> misc\_feature  
 <222> (31)..(31)  
 <223> Carboxy-modifier C2 dT (obtained from Glen Research, catalogue # 10-1035-90)  
  
 <400> 53  
 ctggtaacgc ggatcgacct gcacggttac n 31  
  
 <210> 54  
 <211> 28

<212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Oligo building block used in examples 15 to 20  
  
 <220>  
 <221> misc\_feature  
 <222> (28)..(28)  
 <223> Carboxy-modifier C2 dT (obtained from Glen Research, catalogue # 10-1035-90)  
  
 <400> 54  
 ctggtaacgc ggatcgacct gcgttacn 28  
  
 <210> 55  
 <211> 80  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Template oligo used in examples 15 to 20  
  
 <400> 55  
 agctggatgc tcgacaggtc aggtcgatcc gcgttaccag tcttgctga acgtagtcgt 60  
 ccgatgcaat ccagaggtcg 80  
  
 <210> 56  
 <211> 87  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Template oligo used in examples 15 to 20  
  
 <400> 56  
 agctggatgc tcgacaggtc aagtaacagg tcgatccgcg ttaccagtct tgctgaacg 60  
 tagtcgtccg atgcaatcca gaggtcg 87  
  
 <210> 57  
 <211> 36  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Template oligo used in examples 15 to 20  
  
 <400> 57  
 cgacctacga gctgtccaga agtaacaggt cgatcc 36  
  
 <210> 58

<211> 90  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Template oligo used in examples 15 to 20  
  
 <400> 58  
 agctggatgc tcgacaggtc aagtaacacc aggtcgatcc gcgttaccag tcttgctga 60  
 acgtagtcgt ccgatgcaat ccagaggtcg 90  
  
 <210> 59  
 <211> 86  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Template oligo used in examples 15 to 20  
  
 <400> 59  
 cgacctacga gctgtccaga agtaacaggc cgatccgcgt taccagtctt gcctgaacgt 60  
 agtcgtctgg tcacgtggat ccttga 86  
  
 <210> 60  
 <211> 81  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Template oligo used in examples 15 to 20  
  
 <400> 60  
 agctggatgc tcgacaggtc gaggtcgatc cgcgttacca gtcttgctg aacgtagtcg 60  
 tccgatgcaa tccagaggtc g 81  
  
 <210> 61  
 <211> 85  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Template oligo used in examples 15 to 20  
  
 <400> 61  
 cgacctacga gctgtccaga agtaactttt tttttttttt tttttttttt tttttttttt 60  
 tttttctggt cacgtggatc cttga 85